



Aluminum Alloy 7068 Mechanical Characterization

by Michael Minnicino, David Gray, and Paul Moy

ARL-TR-4913

August 2009

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5069

ARL-TR-4913**August 2009**

Aluminum Alloy 7068 Mechanical Characterization

Michael Minnicino, David Gray, and Paul Moy
Weapons and Materials Research Directorate, ARL

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) August 2009		2. REPORT TYPE Final		3. DATES COVERED (From - To) May 2008–August 2008	
4. TITLE AND SUBTITLE Aluminum Alloy 7068 Mechanical Characterization				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Michael Minnicino, David Gray, and Paul Moy				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRD-ARL-WMM-B Aberdeen Proving Ground, MD 21005-5069				8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TR-4913	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT A relatively new alloy of aluminum is being marketed as “ordnance aluminum” by its developer, Kasier Aluminum (Foothill Ranch, CA), owing its history to the development of ordnance applications. The aluminum alloy designation, 7068, is the strongest aluminum commercially produced. This alloy is aluminum zinc, with an advertised minimum yield strength of 99 ksi. This report characterizes extruded 7068 aluminum in terms of its elastic properties and mechanical strength, in sizes of interest to large-caliber munition designers.					
15. SUBJECT TERMS aluminum, 7068, elastic, strength					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 18	19a. NAME OF RESPONSIBLE PERSON Michael Minnicino
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (Include area code) 410-306-1919

Contents

List of Figures	iv
List of Tables	iv
1. Introduction	1
2. Tension Tests	1
3. Results	2
4. Discussion	3
5. Summary	5
6. References	6
Distribution List	7

List of Figures

Figure 1. Tension test specimen geometry (units are in inches).....	2
Figure 2. Longitudinal direction stress-strain curves.....	4
Figure 3. Transverse direction stress-strain curves.....	4

List of Tables

Table 1. Mechanical property comparison of high-strength aluminum alloys.	1
Table 2. Experimental longitudinal direction properties.	3
Table 3. Experimental transverse direction properties.	3
Table 4. Typical mechanical properties per AMI.	3
Table 5. Summary of 7068 aluminum extrusion direction strengths.....	5

1. Introduction

A relatively new alloy of aluminum is being marketed as “ordnance aluminum” by its developer, Kasier Aluminum (Foothill Ranch, CA), owing its history to the development of ordnance applications in the mid 1990s (1). The aluminum alloy designation, 7068, is the strongest aluminum commercially produced. This alloy has an advertised minimum yield strength of 99 ksi (2). The commonly specified material properties for extruded 7068 aluminum are shown in table 1, along with 7050 and 7075 aluminum alloys for comparison (3).

Table 1. Mechanical property comparison of high-strength aluminum alloys.

Property	Alloy		
	7068	7075	7050
Elastic modulus (Msi)	NA	10.4	10.3
YTS (ksi)	94	73	70
UTS (ksi)	103	83	81
Elongation (%)	5	11	10

Note: NA = not available.

It is assumed in the listing of these properties that they are isotropic. However, the extrusion of the metal stock results in preferential orientation and elongation of the crystals, resulting in deformation-induced anisotropy. The result of this anisotropy is the directional dependence of material properties, especially strength. The elastic modulus that defines the slope of the linearly proportional part of the stress-strain curve is insignificantly affected by deformation-induced anisotropy. Another important and often overlooked assumption is that these properties are invariant with respect to the size of extruded stock. The objective of this work is to characterize extruded 7068 aluminum in terms of its elastic properties and mechanical strength in sizes of interest to large-caliber munition designers.

2. Tension Tests

The 7068 aluminum alloy is relevant for large-caliber projectile applications. As a result, test specimens were electronic discharge machined in accordance with ASTM E8 (4) from a 6-in-diameter billet in both the billet’s extruded (i.e., longitudinal) and transverse directions. The specimen geometry is shown in figure 1. The specimens were painted with a speckle pattern for strain measurement purposes using digital image correlation (5), clamped in an Instron 1127, and pulled at a rate of 0.1 in/s.




Figure 1. Tension test specimen geometry (units are in inches).

3. Results

The mechanical properties computed from the longitudinal and transverse tension test data are shown in tables 2 and 3, respectively. The elastic modulus is calculated using a linear least-squares regression from the linear portion of the stress-strain curve. As expected, the calculated elastic moduli for the longitudinal and transverse directions differ little from each other. The yield tensile strength (YTS) is taken as the stress at 0.2% strain. The ultimate tensile strength (UTS) is the maximum stress seen during the tensile test. The elongation is taken as the largest strain value before specimen rupture (failure). As expected, the longitudinal direction (i.e., the aluminum billet's extruded direction) has a larger YTS and UTS compared to the transverse direction. These findings agree with the larger longitudinal yield and UTS values reported by Advanced Materials International (AMI) (1).

The directional-dependent mechanical properties of AMI are shown in table 4. The directional dependence is attributed to the preferential crystal orientation resulting from the extrusion manufacturing process where the crystals become aligned and elongated along the extrusion direction. The nonrandom distribution of crystal orientation affects the macroscopic mechanical properties, particularly strength values (6). The current experimental results compare well with

Table 2. Experimental longitudinal direction properties.

Material Property	Longitudinal Direction					
	Test 1	Test 2	Test 3	Test 4	Average	Std. Dev.
Elastic modulus, E (Msi)	10.98	10.05	10.15	10.13	10.33	0.438
Yield strength (ksi)	92.8	91	96.1	96.7	94.20	0.003
UTS (ksi)	98.9	97	101.2	102.1	99.80	2.30
Elongation (%)	10.4	11.5	11.9	15.2	12.25	2.07

Table 3. Experimental transverse direction properties.

Material Property	Transverse Direction				
	Test 1	Test 2	Test 3	Average	Std. Dev.
Elastic modulus, E (Msi)	10.04	9.94	9.97	9.98	0.051
Yield strength (ksi)	75.5	75.4	74.5	75.13	0.001
UTS (ksi)	82.2	82.3	82.3	82.27	0.06
Elongation (%)	2.7	3.1	3.4	3.07	0.35

Table 4. Typical mechanical properties per AMI.

Direction	YTS (ksi)	UTS (ksi)	Elongation (%)
Longitudinal	99.1	102.9	9
Transverse	87.5	93.5	7

Kaiser's specified minimum values for the longitudinal direction. The current results indicate that reductions in strengths and elongation are significant. The stress-strain curves for the longitudinal and transverse direction specimens are shown in figures 2 and 3, respectively.

4. Discussion

The longitudinal tensile specimens displayed ductile failure surfaces that are inclined 45° relative to the load direction. Conversely, the transverse specimens exhibited a more brittle-like failure surface that was roughly perpendicular to the load direction. This behavior is evident from observation of the stress-strain curves shown in figures 2 and 3. The strain to failure for the longitudinal specimens is greater than 10%, whereas the average strain to failure for the transverse specimens is less than 3.5%. Additionally, the YTS and UTS for the transverse direction are lower than the longitudinal direction. AMI notes this directional strength behavior as well. The calculated elastic moduli for the longitudinal and transverse directions differ little and compare well to the published data. The current experimental computed material properties compare well with the published data, except for elongation. A summary of the 7068 extrusion direction properties is shown in table 5.




Figure 2. Longitudinal direction stress-strain curves.




Figure 3. Transverse direction stress-strain curves.

Table 5. Summary of 7068 aluminum extrusion direction strengths.

Organization	Section (in)	YTS (ksi)	UTS (ksi)	Elongation (%)
AMI	3–6.5 in	90	94	5
Kaiser	Unknown	99	103	9
ARL data	6 in	94.2	98.8	12.25

Note: ARL = U.S. Army Research Laboratory.

5. Summary

To date, 7068 aluminum alloy is the strongest commercially-produced aluminum. Strengths for large-caliber, munition-sized components are experimentally found to have a minimum YTS of 91 ksi and minimum UTS of 97 ksi, with a minimum strain to failure of 10.4% in the longitudinal (i.e., extruded) direction. The transverse direction properties are less due to the preferred crystal orientation. The transverse direction strengths have a minimum YTS of 74.5 ksi and a minimum UTS of 82.2 ksi, with a minimum strain to failure of 2.7%. These numbers compare well with other published data.

6. References

1. 7068 Data Sheet. AMI, UK. www.advancedmetals.com (accessed 2007).
2. Rod and Bar Alloy 7068 Technical Data Sheet. Kaiser Aluminum. www.kaiseraluminum.com (accessed 2006).
3. Schwartz, M. *Encyclopedia of Materials, Parts, and Finishes*; 2nd ed.; CRC Press LLC: Boca Raton, 2002.
4. ASTM E8. Standard Test Methods of Tension Testing of Metallic Materials. *Annu. Book ASTM Stand.* Vol. 3.01.
5. Chu, T. C.; et al. Applications of Digital-Image-Correlation Techniques to Experimental Mechanics. *Experimental Mechanics* **1995**.
6. More, Ken-ichiro. *Simulation of Materials Processing: Theory, Methods and Applications*; Taylor and Francis: Toyohashi, Japan, 2001.

NO. OF
COPIES ORGANIZATION

1 DEFENSE TECHNICAL
(PDF INFORMATION CTR
only) DTIC OCA
8725 JOHN J KINGMAN RD
STE 0944
FORT BELVOIR VA 22060-6218

1 DIRECTOR
US ARMY RESEARCH LAB
IMNE ALC HRR
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RESEARCH LAB
RDRL CIM L
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RESEARCH LAB
RDRL CIM P
2800 POWDER MILL RD
ADELPHI MD 20783-1197

ABERDEEN PROVING GROUND

1 DIR USARL
RDRL CIM G (BLDG 4600)

NO. OF
COPIES ORGANIZATION

1 DIRECTOR
US ARMY RSRCH LAB
AMSRD ARL SED E
R ATKINSON
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RSRCH LAB
RDRL CI
2800 POWDER MILL RD
ADELPHI MD 20783-1197

6 DIRECTOR
US ARMY RSRCH LAB
AMSRD ARL WMM B
A ABRAHAMIAN
M BERMAN
M CHOWDHURY
A FRYDMAN
R KARGUS
T LI
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 COMMANDER
US ARMY MATRL CMND
AMXMI INT
9301 CHAPEK RD
FORT BELVOIR VA 22060-5527

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR EM
J HEDDERICH
BLDG 94
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR EMT
B MACHAK
BLDG B1
PICATINNY ARSENAL NJ 07806-5000

4 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEP E
K LAUGHLIN
S GROESCHLER
J LEE
J VEGA
BLDG 94
PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM J
G FLEMING
BLDG 65N
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR EBM
R CARR
BLDG 65N
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR EBM
W SHARPE
BLDG 1
PICATINNY ARSENAL NJ 07806-5000

3 COMMANDER
US ARMY TACOM ARDEC
SFAE AMO MAS LC
R DARCY
R JOINSON
D RIGOGLIOSO
BLDG 354
PICATINNY ARSENAL NJ 07806-5000

2 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM L
P DONADIA
D VO
BLDG 65 S
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM
T LOUZEIRO
BLDG 65
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM
L MANOLE
BLDG 65N
PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

4 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM
M PALATHINGAL
S MUSALLI
M LUCIANO
E LOGSDEN
BLDG 65S
PICATINNY ARSENAL NJ 07806-5000

2 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM
A VELLA
J LUTZ
BLDG 354
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEE P
D KAPOOR
BLDG 75
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEE P
S KERWIEN
BLDG 60
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AIP
M LOS
BLDG 1
PICATINNY ARSENAL NJ 07806-5000

2 SFSJM CDL
AMMUN TEAM
AMSIO SMT
R CRAWFORD
W HARRIS
1 ROCK ISLAND ARSENAL
ROCK ISLAND IL 61299-6000

1 US ARMY TARDEC
AMSRD TAR R
D TEMPLETON
6501 E 11 MILE RD MS 263
WARREN MI 48397-5000

NO. OF
COPIES ORGANIZATION

7 BENET LABS
AMSTA AR CCB
M SOJA
E KATHE
G SPENCER
P WHEELER
S KRUPSKI
J VASILAKIS
G FRIAR
WATERVLIET NY 12189-4050

5 BENET LABS
AMSTA CCB R
S SOPOK
E HYLAND
D CRAYON
R DILLON
G VIGILANTE
WATERVLIET NY 12189

1 PEO GROUND COMBAT SYS
SFAE GCS BCT/MS 325
M RYZYI
6501 ELEVEN MILE RD
WARREN MI 48397-5000

2 USA RDECOM
AMSRD AMR AE F T
F RUMPF
J CHANG
BLDG 488 B247
REDSTONE ARSENAL AL 35898

1 USA RDECOM
AMSRD AMR AE F A
M ROGERS
BLDG 4488 B244
REDSTONE ARSENAL AL 35898

3 USA RDECOM
AMSRD AMR AE F M
K BHANSALI
G LIU
R MCFARLAND
BLDG 4488 B272
REDSTONE ARSENAL AL 35898

1 US ARMY ARDEC
AMSRD AAR AEM I
D CONWAY
BLDG 65 N
PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

4 US ARMY RSRCH OFC
J PRATER
D STEPP
D KISEROW
W MULLINS
PO BOX 12211
RESEARCH TRIANGLE PARK NC
27709-2211

1 COMMANDER
US ARMY TACOM ARDEC
AMSTA AR CCL B
J MIDDLETON
BLDG 65N
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
ASIC PRGM INTEGRATION OFC
J RESCH
BLDG 1
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEW M(D)
M MINISI
BLDG 65 N
PICATINNY ARSENAL NJ 07806-5000

1 US ARMY TACOM ARDEC
AMSRD AR CCL C
S SPICKERT-FULTON
BLDG 65 N
PICATINNY ARSENAL NJ 07806-5000

4 PM ARMS
SFAE AMO MAS SMC
R KOWALSKI
F HANZL
P RIGGS
M BULTER
BLDG 354
PICATINNY ARSENAL NJ 07806-5000

1 PM ARMS
SFAE AMO MAS MC
BLDG 354
PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

7 FORT SILL FIELD ARTILLERY
S COFFMAN
G LEMONS
B LEWIS
J HALL
D CARLSON
R NELSON
C NIEDERHAUSER
BLDG 700 (KNOX HALL)
FORT SILL OK 73503

1 FORT SILL FIELD ARTILLERY
FDIC USAFAC
D BROWN
BLDG 700 (KNOX HALL)
FORT SILL OK 73503

1 FORT SILL FIELD ARTILLERY
HQ US ARMY FIRES CTR
R HADDOCK
640 MCBRIDE AVE
FORT SILL OK 73503

1 FORT SILL FIELD ARTILLERY
TSM CANNON
J TANZI
FORT SILL OK 73503

1 FORT SILL FIELD ARTILLERY
TCM FSC3
J HAITHCOCK
569 CRUIKSHANK CIR
FORT SILL OK 73503

1 DIRECTOR
NGIC
IANG TMT
2055 BOULDERS RD
CHARLOTTESVILLE VA
22091-5391

3 INST FOR ADVANCD TECH
H FAIR
I MCNAB
S BLESS
3925 W BRAKER LN
AUSTIN TX 78759-5316

1 ALLIANT TECHSYSTEMS INC
R DOHRN
MN11 1428
600 SECOND ST NE
HOPKINS MN 55343

NO. OF
COPIES ORGANIZATION

1 ATK
M JANTSCHER
MN07 LW54
5050 LINCOLN DR
EDINA MN 55436

1 ALLIANT TECHSYSTEMS INC
R BECKER
MN11 2626
5050 LINCOLN DR
EDINA MN 55340-1097

2 ATK LAKE CITY
SMALL CALIBER AMMUN
LAKE CITY ARMY AMMUN PLANT
K ENLOW
D MANSFIELD
PO BOX 1000
INDEPENDENCE MO 64051-1000

1 ATK LAKE CITY
LAKE CITY ARMY AMMUN PLANT
SMALL CALIBER AMMUN
J WESTBROOK
MO10 003
PO BOX 1000
INDEPENDENCE MO 64051-1000

2 DIRECTOR
LLNL
S DETERESA
F MAGNESS
PO BOX 808
LIVERMORE CA 94550

1 ARMTEC DEFENSE PRODUCTS
S DYER
85 901 AVE 53
PO BOX 848
COACHELLA CA 92236

3 PACIFIC NORTHWEST LAB
M SMITH
G VAN ARSDALE
R SHIPPELL
PO BOX 999
RICHLAND WA 99352

1 CUSTOM ANALYTICAL
ENG SYS INC
A ALEXANDER
13000 TENSOR LANE NE
FLINTSTONE MD 21530

NO. OF
COPIES ORGANIZATION

3 ALLIANT TECHSYSTEMS INC
J CONDON
E LYNAM
J GERHARD
WV01 16 STATE RT 956
PO BOX 210
ROCKET CENTER WV 26726-0210

2 GENERAL DYNAMICS OTS
FLINCHBAUGH DIV
K LINDE
G KURZIK
PO BOX 127
RED LION PA 17356

1 ARROW TECH ASSOC
1233 SHELBURNE RD STE D8
SOUTH BURLINGTON VT 05403-7700

1 UNIV OF CINCINNATI
DEPT OF AEROSPACE ENG & ENG
MECHANICS
A TABIEI
722 RHODES HALL
PO BOX 210070
CINCINNATI OH 45221-0070

4 UNIV OF DELAWARE
CTR OF COMPOSITE MTRLS
J GILLESPIE
S LOPATNIKOV
S YARLAGADDA
S ADVANI
215 COMPOSITES MANUFAC SCI LAB
NEWARK DE 19716

1 UNIV OF DELAWARE
CTR OF COMPOSITE MTRLS
M SANTARE
126 SPENCER LAB
NEWARK DE 19716

1 DEPT OF MECH ENG
UNIV OF NEVADA LAS VEGAS
M TRABIA
4505 MARYLAND PKWY
BOX 454027
LAS VEGAS NV 89154-4027

NO. OF
COPIES ORGANIZATION

ABERDEEN PROVING GROUND

1 US ARMY ATC
CSTE DTC AT AD I
W FRAZER
400 COLLERAN RD
APG MD 21005-5059

62 DIR USARL
RDRL LOA F
M ADAMSON
RDRL SL
R COATES
RDRL WM
B FORCH
J SMITH
S KARNA
J MCCAULEY
P PLOSTINS
T WRIGHT
RDRL WMB
L BURTON
M ZOLTOSKI
J NEWILL
RDRL WMB A
D LYON
RDRL WMB C
P WEINACHT
RDRL WMB D
J COLBURN
P CONROY
RDRL WMB F
W OBERLE
RDRL WMM
S MCKNIGHT
J BEATTY
R DOWDING
RDRL WMM A
M VANLANDINGHAM
RDRL WMM B
J BENDER
T BOGETTI
R CARTER
W DE ROSSET
W DRYSDALE
R EMERSON
D HOPKINS
R KASTE
L KECSKES
E KLIER
H MAUPIN
M MINNICINO
B POWERS

NO. OF
COPIES ORGANIZATION

D SNOHA
J SOUTH
J SWAB
J TZENG
AMSRD ARL WMM C
M MAHER
W SPURGEON
RDRL WMM D
E CHIN
J ADAMS
B CHEESEMAN
J MONTGOMERY
RDRL WMT
P BAKER
C HOPPEL
RDRL WMT A
S SCHOENFELD
D HACKBARTH
RDRL WMT B
R GUPTA
B MCANDREW
RDRL WMT C
T BJERKE
G BOYCE
T EHLERS
K KIMSEY
L MAGNESS
B SCHUSTER
B SORENSEN
R SUMMERS
B WALTERS
RDRL WMT D
D CASEM
N GNIAZDOWSKI
T WEERASOORIYA
RDRL WMT E
B RINGERS